

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740974.35

Buffer MW1 (35 mL)

Page: 1/7

Printing date: 15.11.2021

Date of issue: 14.09.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 740974.35
Product name Buffer MW1 (35 mL)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 35 mL MW1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.

Uses advised against
not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, GERMANY
Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

35 mL MW1



GHS02

Signal word

WARNING

Hazard identification

Hazard classes/categories

H226

Flam. Liq. 3

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

35 mL MW1



GHS02

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740974.35

Buffer MW1 (35 mL)

Page: 2/7

Printing date: 15.11.2021

Date of issue: 14.09.2018

Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties

Flammable properties. For guanidine thiocyanate CAS 593-84-0: The properties H314, H332 "Causes severe skin burns and eye damage. Harmful if inhaled." are not relevant, because the mixture solution is buffered to pH 4-9 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

35 mL MW1

Chemical:	guanidinium thiocyanate	CAS No.:	593-84-0
Classification:	H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1B, H332, Acute Tox. 4 inh., H412, Aquatic Chronic 3		
Formula:	C ₂ H ₆ N ₄ S		
Pseudonym:	guanidine rhodanide		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2120735072-65-0001		
EC No.:	209-812-1	Indice No.:	615-004-00-3
RTECS:	XL1225000	MFCD:	00013027
KE No.:	not listed		
Concentration:	5 - <10 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

Chemical:	ethanol	CAS No.:	64-17-5
	(denatured with 1%IPA/1%MEK, acc.2016/1867/EU)		
Classification:	H225, Flam. Liq. 2		
Formula:	C ₂ H ₆ O; C ₂ H ₅ OH		
Pseudonym:	ethyl alcohol, methylated spirit		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457610-43-xxxx		
EC No.:	200-578-6	Indice No.:	603-002-00-5
RTECS:	KQ6300000	MFCD:	00003568
KE No.:	KE-13217		
Concentration:	35 - <55 %		
acc. CLP (GHS):	H226, Flam. Liq. 3		

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740974.35

Buffer MW1 (35 mL)

Page: 3/7

Printing date: 15.11.2021

Date of issue: 14.09.2018

- 4.1.3 After INHALATION of vapours**
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---
- 4.1.4 After ORAL Intake**
After oral intake lots of water should be drunk after it has been ingested. ---
- 4.2 Most important symptoms and effects, both acute and delayed**

- 4.3 Indication of any immediate medical attention and special treatment needed**
No additionally recommendations. ---

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.2 Special hazards arising from the substance or mixture**
WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---
- 5.3 Advice for firefighters**
No, for listed product. Product package burns like paper or plastic.
- 5.4 Additional information**

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**
Do not breathe vapours. Regular staff training is necessary.
- 6.2 Environmental precautions**
not necessary
- 6.3 Methods and material for containment and cleaning up**
Bind any escaping liquid with inert absorbent.
Collect small amounts of leaked liquid and flush with water into drains.
- 6.4 Reference to other sections**

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**
Handling in accordance with the test instruction, that comes with the product.
- 7.2 Conditions for safe storage, including any incompatibilities**
The original product package of MACHEREY-NAGEL allows a safe storage.
Storage class (VCI): 3
Water hazard class (DE): 3
- 7.2.1 Requirements for stock rooms and containers**
Keep original product packages tightly closed during handling and storage.
- 7.3 Specific end use(s)**
Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

35 mL MW1

Chemical: *guanidinium thiocyanate*

CAS No.: 593-84-0

DNEL: [inh] 1092 µg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 42.4 µg/L

PNEC = Predicted No Effect Concentration

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740974.35

Buffer MW1 (35 mL)

Page: 4/7

Printing date: 15.11.2021

Date of issue: 14.09.2018

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³
[TWA] 1000 ppm / 1900 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell or KCL).

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

35 mL MW1

Appearance: liquid

Colour: colourless

Odor: alcoholic

pH:

6.5 - 7.5

Flash point:

23 °C

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Note: Can form very reactive substances with oxidizing agents. Possible: Contact with acids liberates toxic gas. No further data available.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740974.35

Buffer MW1 (35 mL)

Page: 5/7

Printing date: 15.11.2021

Date of issue: 14.09.2018

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

35 mL MW1

Chemical:	<i>guanidinium thiocyanate</i>	CAS No.: 593-84-0
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	not listed	
LD50 _{orl rat} :	593 mg/kg	
LC50 _{drm rbt} :	>2000 mg/m ³	
LC50 _{ihl rat} :	[4h] 5.319 mg/L	
LD50 _{ipr mus} :	300 mg/kg	

Chemical:	<i>ethanol</i>	CAS No.: 64-17-5
TSCA Inventory:	listed	California Proposition 65 List: not listed
ACGIH:	1000 ppm	
Exposure Routes:	inhalation, ingestion, skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system	
Symptoms:	irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-13217	
LD50 _{orl rat} :	6200 mg/kg	
LC _{Lowihl gpg} :	21.9 g/m ³	
LC _{Loworl hmn} :	1400 mg/kg	
LC50 _{ihl mouse} :	[4h] 39 g/m ³	
LC50 _{ihl rat} :	[10h] 20 g/m ³	
LD50 _{drm rbt} :	20 000 mg/kg	
LD50 _{oral mouse} :	3450 mg/kg	
TRGS 905 (DE):	K5, M5, R _F C	

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

35 mL MW1

Chemical:	<i>guanidinium thiocyanate</i>	CAS No.: 593-84-0
PNEC(fresh water):	42.4 µg/L	
PNEC = Predicted No Effect Concentration		
LC50 _{fish/96h} :	[4d] 89.1 mg/L	
EC50 _{daphnia/48h} :	42.4 mg/L	
IC50 _{scenedesmus quadricauda/72h} :	130 mg/L	
EC10 _{pseudomonas putida/16h} :	[10d] 200 mg/L	
Water hazard class (DE):	3	
Dispersion coefficient _(octanol-water) :	[pH 5.1] -1.11	
Storage class (VCI):	12	

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740974.35

Buffer MW1 (35 mL)

Page: 6/7

Printing date: 15.11.2021

Date of issue: 14.09.2018

Chemical: *ethanol*
PNEC(fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration
LC50daphnia magna/48h: >100 mg/L
LC50pimephales promelas/96h: 13400 - 15100 mg/L
LC50leuciscus idus/96h: [48h] 8140 mg/L
LC50fish/96h: 13 g/L
EC50daphnia/48h: 9.3-14.2 g/L
IC50scenedesmus quadricauda/72h: [7d] 5000 mg/L
EC10pseudomonas putida/16h: [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096
Dispersion coefficient(octanol-water): -0.31
Storage class (VCI): 3

CAS No.: 64-17-5

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Do not collect in acidic waste. May form toxic gases.

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

UN 1993 class 3 II, **Excepted Quantities** (≤ 30 mL/ $\Sigma \leq 500$ mL) = ADR/ IATA E2

or

14.1 UN number: 1993 **14.2 UN proper shipping name:** Flammable liquid, n.o.s. (ethanol mixture)

14.3 Class: 3 **14.4 Packing group:** II

Road transport

Classification code: F1

Limited Quantity: 1 L

Excepted Quantity: E 2

Tunnel restriction code: E

Special instructions: 640C

Air transport

PAX: 353

CAO: 364

max. weight PAX: 5 L

max. weight CAO: 60 L

Maritime transport

EmS: F-E, S-E

Storage category: B

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 740974.35

Buffer MW1 (35 mL)

Page: 7/7

Printing date: 15.11.2021

Date of issue: 14.09.2018

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
MN Leaflet/User manual, also see www.mn-net.com
Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H226 Flammable liquid and vapour.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
SUVA .CH, Limits in air at work 2009, revised on 01.2009
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-08 Adaption of new ethanol denaturation 2016/1867/EU

2017-11 Adaption of ECHA Registration dossier