

**Safety data sheet**  
**according to UK REACH**

Page 1/9

Printing date 03.07.2025

Revision: 03.07.2025

Version number 7.04 (replaces version 7.03)

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** edetic acid
- **Article number:** 1026
- **CAS Number:**  
60-00-4
- **EC number:**  
200-449-4
- **Index number:**  
607-429-00-8
- **Application of the substance / the mixture** Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

PANREAC QUIMICA S.L.U.  
C/Garraf 2  
Polígono Pla de la Bruguera  
E-08211 Castellar del Vallès (Barcelona)

Tel. (+34) 937 489 400

Fax. (+34) 937 489 401

e-mail: [product.safety@itwreagents.com](mailto:product.safety@itwreagents.com)

- **Further information obtainable from:** email: [product.safety@panreac.com](mailto:product.safety@panreac.com)

· **1.4 Emergency telephone number:**

Single telephone number for emergency calls: 112 (EU)  
Tel.: (+34) 937 489 499

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Acute Tox. 4 H332 Harmful if inhaled.  
Eye Irrit. 2 H319 Causes serious eye irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

Trade name: edetic acid

(Contd. of page 1)

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

H332 Harmful if inhaled.

H319 Causes serious eye irritation.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.1 Substances**

· **CAS No. Description**

60-00-4 edetic acid

· **Identification number(s)**

· **EC number:** 200-449-4

· **Index number:** 607-429-00-8

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Involve doctor immediately.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

· **After skin contact:** Call a doctor immediately.

· **After eye contact:** Call a doctor immediately.

· **After swallowing:**

make victim drink water (maximum of 2 drinking glasses)

Call a doctor immediately.

(Contd. on page 3)

**Trade name: edetic acid**

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Sand  
Foam  
Carbon dioxide  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon monoxide and carbon dioxide  
Non-combustible.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Mouth respiratory protective device.  
Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Avoid formation of dust.  
Avoid substance contact.  
Ensure adequate ventilation
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Pick up mechanically.  
Avoid formation of dust.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Clean up affected area.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Thorough dedusting.  
Ensure good ventilation/exhaustion at the workplace.  
Any unavoidable deposit of dust must be regularly removed.
- **Information about fire - and explosion protection:** The product is not flammable.

(Contd. on page 4)

Trade name: edetic acid

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Provide acid-resistant floor.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Open receptacle only under localised extractor facilities.  
Store receptacle in a well ventilated area.  
Store under lock and key and with access restricted to technical experts or their assistants only.
- **Recommended storage temperature:** Room Temperature
- **Storage class:** 13
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** Not required.

### · DNELs

|            |                                                  |           |
|------------|--------------------------------------------------|-----------|
| Oral       | Long-term - systemic effects, general population | 25 mg/kg  |
| Inhalative | Acute - local effects, worker                    | 3 mg/m3   |
|            | Acute - systemic effects, worker                 | 3 mg/m3   |
|            | Long-term - systemic effects, worker             | 1.5 mg/m3 |
|            | Long-term - local effects, worker                | 1.5 mg/m3 |
|            | Acute - local effects, general population        | 1.2 mg/m3 |
|            | Long-term - local effects, general population    | 0.6 mg/m3 |

### · PNECs

|                                                    |            |
|----------------------------------------------------|------------|
| Aquatic compartment - freshwater                   | 2.17 mg/L  |
| Aquatic compartment - marine water                 | 0.217 mg/L |
| Aquatic compartment - water, intermittent releases | 1.2 mg/L   |
| Terrestrial compartment - soil                     | 1.11 mg/kg |
| Sewage treatment plant                             | 50 mg/L    |

- **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Vacuum clean contaminated clothing. Do not blow or brush off contamination.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
Filter P2  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Required when dusts are generated.
- **Hand protection**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Trade name: edetic acid

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

Value for the permeation: Level  $\geq 480$  min

· **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

Value for the permeation: Level  $\geq 480$  min

· **Eye/face protection**



Tightly sealed goggles

· **Body protection:** Use protective suit.

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Solid

· **Colour:**

Whitish

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

$>200$  °C

· **Boiling point or initial boiling point and boiling range**

Undetermined.

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Auto-ignition temperature:**

410 °C

· **Decomposition temperature:**

$>200$  °C

· **pH**

2-3

· **Viscosity:**

· **Kinematic viscosity**

Not applicable.

· **Dynamic:**

Not applicable.

· **Solubility**

· **water at 20 °C:**

$<1$  g/l  
Insoluble.

· **Partition coefficient n-octanol/water (log value)**

-5

· **Vapour pressure:**

Not applicable.

· **Density and/or relative density**

· **Density at 20 °C:**

1.46 g/cm<sup>3</sup>

(Contd. on page 6)

GB

Trade name: edetic acid

(Contd. of page 5)

|                                                                                        |                                               |
|----------------------------------------------------------------------------------------|-----------------------------------------------|
| · <b>Relative density</b>                                                              | Not determined.                               |
| · <b>Bulk density:</b>                                                                 | 720-920 kg/m <sup>3</sup>                     |
| · <b>Vapour density</b>                                                                | Not applicable.                               |
| · <b>9.2 Other information</b>                                                         |                                               |
| · <b>Appearance:</b>                                                                   |                                               |
| · <b>Form:</b>                                                                         | Solid                                         |
| · <b>Important information on protection of health and environment, and on safety.</b> |                                               |
| · <b>Ignition temperature:</b>                                                         | Not determined.                               |
| · <b>Explosive properties:</b>                                                         | Product does not present an explosion hazard. |
| · <b>Molecular weight</b>                                                              | 292.24 g/mol                                  |
| · <b>Change in condition</b>                                                           |                                               |
| · <b>Evaporation rate</b>                                                              | Not applicable.                               |
| · <b>Information with regard to physical hazard classes</b>                            |                                               |
| · <b>Explosives</b>                                                                    | Void                                          |
| · <b>Flammable gases</b>                                                               | Void                                          |
| · <b>Aerosols</b>                                                                      | Void                                          |
| · <b>Oxidising gases</b>                                                               | Void                                          |
| · <b>Gases under pressure</b>                                                          | Void                                          |
| · <b>Flammable liquids</b>                                                             | Void                                          |
| · <b>Flammable solids</b>                                                              | Void                                          |
| · <b>Self-reactive substances and mixtures</b>                                         | Void                                          |
| · <b>Pyrophoric liquids</b>                                                            | Void                                          |
| · <b>Pyrophoric solids</b>                                                             | Void                                          |
| · <b>Self-heating substances and mixtures</b>                                          | Void                                          |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b>     | Void                                          |
| · <b>Oxidising liquids</b>                                                             | Void                                          |
| · <b>Oxidising solids</b>                                                              | Void                                          |
| · <b>Organic peroxides</b>                                                             | Void                                          |
| · <b>Corrosive to metals</b>                                                           | Void                                          |
| · <b>Desensitised explosives</b>                                                       | Void                                          |

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Heating.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
  - strong bases
  - strong acids
  - strong oxidants
- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5
- **Additional information:**

The following applies in general to flammable organic substances and preparations: In correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

GB

(Contd. on page 7)

Trade name: edetic acid

(Contd. of page 6)

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if inhaled.
- **LD/LC50 values relevant for classification:**  
Quantitative data on the toxicological effect of this product are not available.

| Components | Type     | Value                     | Species |
|------------|----------|---------------------------|---------|
| Oral       | LD50     | >2,000-<5,000 mg/kg (rat) |         |
| Inhalative | LC50/4 h | 1,000-5,000 mg/l (rat)    |         |

- **Primary irritant effect:**
- **Serious eye damage/irritation** Causes serious eye irritation.
- **After inhalation:** No irritant effect.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties** Substance is not listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.

| Type of test | Effective concentration                     | Method | Assessment |
|--------------|---------------------------------------------|--------|------------|
| EC50/72 h    | >100 mg/l (aquatic plants other than algae) |        |            |
| EC50/24 h    | >100 mg/l (daphnia magna)                   |        |            |
| LC50/96 h    | >100 mg/l (fish)                            |        |            |

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential**  
Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water  
Danger to drinking water if even small quantities leak into the ground.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Chemicals must be disposed of in compliance with the respective national regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**  
Disposal must be made according to official regulations.

(Contd. on page 8)

GB

Trade name: edetic acid

(Contd. of page 7)

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

## SECTION 14: Transport information

|                                                                |                                                      |
|----------------------------------------------------------------|------------------------------------------------------|
| · 14.1 UN number or ID number                                  |                                                      |
| · ADR, ADN, IMDG, IATA                                         | Void                                                 |
| · 14.2 UN proper shipping name                                 |                                                      |
| · ADR, ADN, IMDG, IATA                                         | Void                                                 |
| · 14.3 Transport hazard class(es)                              |                                                      |
| · ADR, ADN, IMDG, IATA                                         |                                                      |
| · Class                                                        | Void                                                 |
| · 14.4 Packing group                                           |                                                      |
| · ADR, IMDG, IATA                                              | Void                                                 |
| · 14.5 Environmental hazards:                                  | Not applicable.                                      |
| · 14.6 Special precautions for user                            | Not applicable.                                      |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable.                                      |
| · Transport/Additional information:                            | Not dangerous according to the above specifications. |
| · UN "Model Regulation":                                       | Void                                                 |

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors** Substance is not listed.
- **Regulated poisons** Substance is not listed.
- **Reportable explosives precursors** Substance is not listed.
- **Reportable poisons** Substance is not listed.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)

**Trade name: edetic acid**

(Contd. of page 8)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

- **\* Data compared to the previous version altered.**

## **Annex: Exposure scenario**

- **Short title of the exposure scenario** Formulation and packing/repacking of substances and mixtures
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Solid
- **Concentration of the substance in the mixture** Raw material.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**  
Avoid contact with eyes.  
Avoid breathing particles.
- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** Ensure that suitable extractors are available on processing machines
- **Personal protective measures**  
Do not inhale dust / smoke / mist.  
Avoid contact with the eyes.  
Tightly sealed goggles  
Filter P2  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Required when dusts are generated.
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water** No special measures required.
- **Disposal measures** Ensure that waste is collected and contained.
- **Disposal procedures**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Worker (inhalation)**  
The calculated value is smaller than the DNEL.  
The exposure estimation was carried out in accordance with ECETOC TRA.
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.