

**Safety data sheet**  
according to UK REACH

Page 1/9

Printing date 15.07.2025

Revision: 11.07.2025

Version number 34.25 (replaces version 34.24)

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** Hydrochloric Acid 6 mol/l (6N)
- **Article number:** 2883
- **Application of the substance / the mixture**  
Pharmaceutical analysis  
Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
PANREAC QUIMICA S.L.U.  
C/Garraf 2  
Polígono Pla de la Bruguera  
E-08211 Castellar del Vallès (Barcelona)  
Tel. (+34) 937 489 400  
Fax. (+34) 937 489 401  
e-mail: product.safety@itwreagents.com
- **Further information obtainable from:** email: product.safety@panreac.com
- **1.4 Emergency telephone number:**  
Single telephone number for emergency calls: 112 (EU)  
Tel.: (+34) 937 489 499

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Met. Corr. 1 H290 May be corrosive to metals.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H335 May cause respiratory irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS05 GHS07

(Contd. on page 2)

GB

**Trade name: Hydrochloric Acid 6 mol/l (6N)**

(Contd. of page 1)

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
hydrogen chloride
- **Hazard statements**  
H290 May be corrosive to metals.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** aqueous solution

· **Dangerous components:**

|                                                                       |                                                                                                                                                                                                                                                                                                                                         |         |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| CAS: 7647-01-0<br>EINECS: 231-595-7<br>Reg.nr.: 01-2119484862-27-XXXX | hydrogen chloride<br>Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318;<br>STOT SE 3, H335<br>Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %<br>Skin Irrit. 2; H315: 10 % ≤ C < 25 %<br>Eye Dam. 1; H318: C ≥ 25 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 25 %<br>STOT SE 3; C ≥ 10 %<br>Met. Corr. 1; H290: C ≥ 0.1 % | >5-≤20% |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Seek medical treatment.
- **After inhalation:**  
In case of unconsciousness place patient stably in side position for transportation.  
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Immediately remove any clothing soiled by the product.

(Contd. on page 3)

**Trade name: Hydrochloric Acid 6 mol/l (6N)**

(Contd. of page 2)

If skin irritation continues, consult a doctor.

- **After eye contact:** Call a doctor immediately.

- **After swallowing:** Seek medical treatment.

- **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Non-combustible.

- **5.3 Advice for firefighters**

- **Protective equipment:** Wear self-contained respiratory protective device.

- **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Contain escaping vapours with water.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid substance contact.

Do not inhale steams/aerosols.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Clean up affected area.

- **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Work only in fume cupboard.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- **Information about fire - and explosion protection:** The product is not flammable.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Provide acid-resistant floor.

- **Information about storage in one common storage facility:** Store away from metals.

- **Further information about storage conditions:**

Keep container tightly sealed.

(Contd. on page 4)

**Trade name: Hydrochloric Acid 6 mol/l (6N)**

(Contd. of page 3)

Open receptacle only under localised extractor facilities.

- **Recommended storage temperature:** Room Temperature
- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

#### **7647-01-0 hydrogen chloride**

|     |                                                                                                                          |
|-----|--------------------------------------------------------------------------------------------------------------------------|
| WEL | Short-term value: 8 mg/m <sup>3</sup> , 5 ppm<br>Long-term value: 2 mg/m <sup>3</sup> , 1 ppm<br>(gas and aerosol mists) |
|-----|--------------------------------------------------------------------------------------------------------------------------|

### · DNELs

#### **7647-01-0 hydrogen chloride**

|            |                                   |                      |
|------------|-----------------------------------|----------------------|
| Inhalative | Acute - local effects, worker     | 15 mg/m <sup>3</sup> |
|            | Long-term - local effects, worker | 8 mg/m <sup>3</sup>  |

### · PNECs

#### **7647-01-0 hydrogen chloride**

|                                                    |             |
|----------------------------------------------------|-------------|
| Aquatic compartment - freshwater                   | 0.036 mg/L  |
| Aquatic compartment - marine water                 | 0.036 mg/L  |
| Aquatic compartment - water, intermittent releases | 0.045 mg/L  |
| Sewage treatment plant                             | 0.036 mg/L  |
| Ground                                             | 0.036 mg/kg |

· **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Use suitable respiratory protective device only when aerosol or mist is formed.

· **Recommended filter device for short term use:** Combination filter E-P2

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

**Trade name: Hydrochloric Acid 6 mol/l (6N)**

(Contd. of page 4)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.7$  mm

Value for the permeation: Level  $\geq 480$  min

· **As protection from splashes gloves made of the following materials are suitable:**

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.7$  mm

Value for the permeation: Level  $\geq 480$  min

· **Eye/face protection**



Tightly sealed goggles

· **Body protection:** Acid resistant protective clothing

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

Colourless

· **Odour:**

Pungent

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

102 °C

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **pH at 20 °C**

<3

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility**

· **water:**

Fully miscible.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure at 20 °C:**

23 hPa

· **Density and/or relative density**

· **Density at 20 °C:**

1.05 g/cm<sup>3</sup>

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

· **9.2 Other information**

· **Appearance:**

· **Form:**

Fluid

(Contd. on page 6)

Trade name: Hydrochloric Acid 6 mol/l (6N)

(Contd. of page 5)

· **Important information on protection of health and environment, and on safety.**

- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Solvent content:**
- **Water:** 80.0 %
- **VOC (EC)** 0.00 %
- **Change in condition**
- **Evaporation rate** Not determined.

· **Information with regard to physical hazard classes**

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** May be corrosive to metals.
- **Desensitised explosives** Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with alkaline metals.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** alkali metals
- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**  
Quantitative data on the toxicological effect of this product are not available.

| Components                         | Type | Value                 | Species |
|------------------------------------|------|-----------------------|---------|
| <b>7647-01-0 hydrogen chloride</b> |      |                       |         |
| Dermal                             | LD50 | >5,010 mg/kg (rabbit) |         |

(Contd. on page 7)

Trade name: Hydrochloric Acid 6 mol/l (6N)

(Contd. of page 6)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **After inhalation:** Irritant to skin and mucous membranes.
- **STOT-single exposure** May cause respiratory irritation.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.

| Type of test | Effective concentration | Method | Assessment |
|--------------|-------------------------|--------|------------|
|--------------|-------------------------|--------|------------|

**7647-01-0 hydrogen chloride**

|           |                            |
|-----------|----------------------------|
| EC50/72 h | 0.78 mg/l (Algae)          |
| EC50/48 h | 0.492 mg/l (daphnia magna) |
| LC50/96 h | 24.6 mg/l (fish)           |

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Chemicals must be disposed of in compliance with the respective national regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

## SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN1789

(Contd. on page 8)

Trade name: Hydrochloric Acid 6 mol/l (6N)

(Contd. of page 7)

|                                                                                   |                                                                                                                 |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| · 14.2 UN proper shipping name                                                    | HYDROCHLORIC ACID solution                                                                                      |
| · ADR, IMDG, IATA                                                                 |                                                                                                                 |
| · 14.3 Transport hazard class(es)                                                 |                                                                                                                 |
| · ADR                                                                             |                                                                                                                 |
|  |                                                                                                                 |
| · Class                                                                           | 8 (C1) Corrosive substances.                                                                                    |
| · Label                                                                           | 8                                                                                                               |
| · IMDG, IATA                                                                      |                                                                                                                 |
|  |                                                                                                                 |
| · Class                                                                           | 8 Corrosive substances.                                                                                         |
| · Label                                                                           | 8                                                                                                               |
| · 14.4 Packing group                                                              |                                                                                                                 |
| · ADR, IMDG, IATA                                                                 | II                                                                                                              |
| · 14.5 Environmental hazards:                                                     | Not applicable.                                                                                                 |
| · 14.6 Special precautions for user                                               | Warning: Corrosive substances.                                                                                  |
| · Hazard identification number (Kemler code):                                     | 80                                                                                                              |
| · EMS Number:                                                                     | F-A,S-B                                                                                                         |
| · Segregation groups                                                              | (SGG1) Acids                                                                                                    |
| · Stowage Category                                                                | E                                                                                                               |
| · 14.7 Maritime transport in bulk according to IMO instruments                    | Not applicable.                                                                                                 |
| · Transport/Additional information:                                               |                                                                                                                 |
| · ADR                                                                             |                                                                                                                 |
| · Limited quantities (LQ)                                                         | 1L                                                                                                              |
| · Excepted quantities (EQ)                                                        | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · Transport category                                                              | 2                                                                                                               |
| · Tunnel restriction code                                                         | E                                                                                                               |
| · IMDG                                                                            |                                                                                                                 |
| · Limited quantities (LQ)                                                         | 1L                                                                                                              |
| · Excepted quantities (EQ)                                                        | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation":                                                          | UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II                                                                       |

GB

(Contd. on page 9)



Trade name: Hydrochloric Acid 6 mol/l (6N)

(Contd. of page 8)

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

### · Regulated explosives precursors

|           |                   |     |
|-----------|-------------------|-----|
| 7647-01-0 | hydrogen chloride | 10% |
|-----------|-------------------|-----|

### · Regulated poisons

None of the ingredients is listed.

### · Reportable explosives precursors

None of the ingredients is listed.

### · Reportable poisons

None of the ingredients is listed.

### · Directive 2012/18/EU

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
ATE: Acute toxicity estimate values  
Met. Corr. 1: Corrosive to metals – Category 1  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- **\* Data compared to the previous version altered.**